

### DATASHEET Rockfon CleanSpace® Pure



Sounds Beautiful

## **Rockfon CleanSpace® Pure**

- Rockfon CleanSpace Pure is a smooth, deep-matt, pure white cleanable ceiling tile with high sound absorption (Class A).
   Applicable in various room types with cleanability requirements.
   The product is long-lasting and withstands numerous cleaning and disinfection methods
- Full range of dimensions and edges for complete design freedom
- High sound absorption (Class A) and highest fire safety (Class A1)

### - Low particle emission: ISO Class 3

### **Product Description**

- Stone wool tile
- Visible side: smooth, deep-matt and super-white painted fleece
- Rear side: back fleece
- Durable painted edges

### **Application Areas**

- Healthcare
- Education
- Leisure
- Retail

Edge detail	Module size (mm)	Approximate weight (kg/m²)	Recommended installation System	Recycled content	Cradle to Cradle Certified®	A1-A3 Production stage impact (kg CO <sub>2</sub> eq/m <sup>2</sup> )*	A1-C4 Full life cycle impact (kg CO <sub>2</sub> eq/m <sup>2</sup> )*
A24	600 x 600 x 20 1200 x 600 x 20	2.3	Rockfon® System CleanSpace T24 A, E (ECR)™ Rockfon® System CleanSpace T24 A, E (ECR)™	38%	CERTIFIED®	2.25	2.84
	600 x 600 x 40 1200 x 600 x 40	4.1		38%	cradle to cradle BRONZE	3.85	4.99
E24	600 x 600 x 20		Rockfon® System CleanSpace T24 A, E (ECR)™	38%	CERTIFIED cradle to cradle BRONZE	2.96	3.74
	1200 x 600 x 20	2.8	Rockfon® System CleanSpace T24 A, E (ECR)™				
X	600 x 600 x 22		Rockfon <sup>®</sup> System T24 X™	-	CERTIFIED cradle to cradle BRONZE	3.23	4.34
	1200 x 600 x 22	3.7	Rockfon <sup>®</sup> System T24 X™	38%			

\* For full environmental impact disclosure, see our product EPDs available on **rockfon.link/int-epd**. Due to differences in calculation methods and scenario assumptions, environmental impact values are generally not directly comparable between manufacturers.



### Performance



Sound absorption  $\alpha_w$ : up to 1.00 (Class A)

α <sub>ρ</sub> C C C C C C C C C C C C C C C C C C C	0.4 0.3 0.2 0.1	P						Absorption class		
Thickness (mm) / Suspension (incl. tile - mm)	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	$\alpha_w$	Abse	NRC	
A,E: 20 / 200	0.40	0.90	1.00	0.95	1.00	1.00	1.00	А	0.95	]
X: 22 / 200	0.45	0.85	0.90	0.90	1.00	1.00	0.95	А	0.95	
A: 40 / 200	0.60	1.00	1.00	1.00	1.00	1.00	1.00	А	1.05	



0

### Light reflection and light diffusion 86% light reflection

>99% light diffusion

### Humidity and sag resistance

**Reaction to fire** 

A1

Up to 100% RH. No visible deflection in high humidity. C/0N



#### Cleaning Vacuum

- Damp cloth
- High pressure cleaning (monthly and only applicable for A-edge installation). Max. 80 bar, min. 1 meter distance, water spread at 30° angle, max. water flow 360 L/h. The tiles should be clipped into the grid.
- Chemical resistance: Tested according to ISO 2812-3:2019 and classified in accordance with EN 12720. Rating on a scale from 1 to 5, where 5 is the best. We obtained 5 for the following detergents and disinfectants (weekly disinfection): Active chlorine 2,6%, quaternary ammonium 0,25%, hydrogen peroxide 5%, Ethanol 70% and Isopropanol 70%
- Use only soft equipment directly on the tile surface: cloth or sponge. Avoid scraping or stiff brush rubbing.



### Hygiene

Stone wool provides no sustenance to microorganisms

Microbiological class M1 fulfilling the requirements of Zone 4 (very high risk) defined by NF S 90-351:2013. Tested with:

- Methicillin resistant staphylococcus aureus (MRSA)
- Candida albicans
- Aspergillus brasiliensis
- E. Coli
- Bacillus cereus

**Clean Room** 

M1 (zone 4) for the 5 tested pathogens.

The particle elimination kinetics class is conform to CP(0,5)5 according to the norm NF S 90-351:2013.

98
••*

### ISO Class 3



### Surface durability

Enhanced durability and dirt resistance.

### Wet-scrub resistance: Class 5

The wet-scrub resistance is tested in accordance with EN ISO 11998:2006 and rated following EN 12720:2009+A1:2013 scale going from 1 to 5, where 5 is the best.



### Disinfection

- Resistant to using Hydrogen Peroxide Vapor disinfection with impact on aeration time - Can withstand and will not be affected by UVC and Ozone disinfection

218

### Visual appearance

Super-white surface

L value: 94.5 The whiteness (L value) of the product is tested in accordance with ISO 7724 and measured on a scale from 1 (black) to 100 (white).

Deep matt surface, perfect in critical side-light Gloss: 0.8 gloss unit at 85° angle The gloss of the product is tested in accordance with ISO 2813.



(D)

ل

### Recyclability

Fully recyclable stone wool

### Indoor environment

Rockfon ceiling products are classified in Class E1 in accordance with EN 13964 (EN 717-1). Rockfon ceiling products have a very low release of VOCs. A selection of Rockfon products have achieved the following performance levels and labels in indoor air emissions:



### **Material Health**

All materials used in Rockfon products are screened against the list of substances restricted under REACH and do not contain substances of very high concern (SVHC). Rockfon stone wool fibres comply with the safe fibre EU regulation and hold an EUCEB certification.

# Sounds Beautiful

