Rockfon Canva® Island

Sounds Beautiful

Rockfon Canva® Island

- The Rockfon Canva Island is perfect for open plenum spaces where both acoustics and aesthetics need to be perfect
- Size and print can be customised to suit the user's mood, room purpose, or brand preference
- Detachable, washable and replaceable canvas
- Choose from our 34 inspirational Colours of Wellbeing range or design your own graphic layout for that personal touch
- Panels arrive fully assembled, so installation is fast and easy
- Rockfon Canva is a design cooperation with Danish acoustic design company Akuart

Product Description
- Absorber: 40 mm stone wool absorber
- Frame: 61 mm powder coated matt aluminum frame
- Surface: printed textile
- Can be suspended up to 1500 mm from the ceiling

Application Areas
- Education
- Healthcare
- Leisure
- Office
- Retail

Module size (Width x Length x Depth) (mm)	Weight (kg/unit)
1200 x 1200 x 61	9,7
1200 x 1800 x 61	14,5
1200 x 2400 x 61	18,5

Frame depth is always 61 mm. Possibility to customize panel sizes on demand.
*Minimum size (W x H): 600 x 600 mm*
Maximum size: (W x H): 2400 x 1200 / 1200 x 2400 mm

* For full environmental impact disclosure, see our product EPDs available on **rockfon. link/int-epd**. *Due to differences in calculation methods and scenario assumptions, environmental impact values are generally not directly comparable between manufacturers.*

Performance

Sound absorption
A_{eq} (m²/item)

	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
1200 x 1200mm (suspension height: 110mm)	0,47	1,40	2,23	2,27	2,13	2,43
1200 x 1200mm (suspension height: 200mm)	0,68	1,37	1,96	2,47	2,60	2,90
1200 x 1200mm (suspension height: 500mm)	0,73	1,40	2,03	2,67	2,70	3,03

	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
2400 x 1200mm (suspension height: 110mm)	0,93	2,67	4,10	4,17	4,13	4,53
2400 x 1200mm (suspension height: 200mm)	1,14	2,66	3,73	4,42	4,61	4,93
2400 x 1200mm (suspension height: 500mm)	1,23	2,67	3,87	4,77	5,20	5,73

Reaction to fire
B-s1,d0
Based on EN 13501-1

Cleaning
- Frame: Vacuum, damp cloth, and low pressure foam cleaning
- Canvas: Vacuum, damp cloth, and washing in normal machine wash cycle up to 40 degrees

Hygiene
Stone wool provides no sustenance to microorganisms

Recyclability
Fully recyclable stone wool

Indoor environment
Rockfon Canva has a low release of VOCs.
Rockfon Canva Island has been awarded the Finnish M1 emission classification for building materials and the Danish Indoor Climate Label for low emission products.

THE INDOOR CLIMATE LABEL

M1 EMISSION CLASS FOR BUILDING MATERIAL · RTS

Material Health
All materials used in Rockfon products are screened against the list of substances restricted under REACH and do not contain substances of very high concern (SVHC). Rockfon stone wool fibres comply with the safe fibre EU regulation and hold an EUCEB certification.

Frame colours

WHITE	BLACK

Canvas colours

SEAWEED	EUCALYPTUS	SAGE	MINT

SPACE	STORM	AZURE	FRESH

MUSTARD	SAND	STUCCO

SCARLET	CORAL	SANDALWOOD	SEASHELL	PETAL

EBONY	EARTH	CORK	CHALK

IRON	CLAY	LINEN	HEMP

ANTHRACITE	GRAVEL	PLASTER	MOON	MERCURY

CHARCOAL	CONCRETE	ZINC	MASTIC	STONE

Custom graphic options

Contact your local Rockfon partner to get your choice of image, artwork, graphic design or other visual layout on the canvas surface in high resolution quality print.

WHITE

All standard colours are printed on the textile with a texture weave pattern.
The Canva surface colours are close textile colour matches to the Rockfon Color-all® products. Colours may vary slightly between different production batches. Reproduction of colours may vary between print and reality. Please note that black frames combined with light coloured canvas can create a shadow effect close to the Canva. Surface textile in 'Mercury' colour does not have a metallic appearance.

Wall panel: The Rockfon Canva textile has a "visual direction". This means that the colours might differ depending on whether the element is hung in vertical or horizontal orientation.

Sounds Beautiful