

DATASHEET







Chicago Metallic[™] J-profiles



Chicago Metallic™ J-profiles


- A range of J-shaped profiles for internal wall cladding
- Various heights to fit with the tiles thicknesses
- System also suitable for horizontal applications
- Specific J-profile for E-edged tiles with T15 mm and Ultraline®
- Perfect colour match with ceiling grid systems and wall angles

Assortment

Product group		Component description	Length (mm)	Colour	Pcs per pack	Lm per pack	Kg per pack
Wall angle options							
J13		J-wall angle 25 x13 x13 mm	3050	11W, 001	30	91.5	22
J20		J-wall angle 25x20x13 mm	3050	11W, 001	24	73.2	19.8
J25		J-wall angle 25x25x13 mm	3050	11W, 001	24	73.2	21.1
J38		J-wall angle 25x38x13 mm	3050	11W, 001	18	54.9	16.6
J40		J-wall angle 25x40x13 mm	3050	11W, 001	18	54.9	19.7
J50		J-wall angle 25x50x13 mm	3050	11W, 001	18	54.9	21.4


Product description

J13




- Body Material thickness 0.5mm

J20



- Body Material thickness 0.5mm


J25



- Body Material thickness 0.5mm


Product description

J38




- **Body Material thickness**0.5mm

J40



- **Body Material thickness**0.5mm

J50



- **Body Material thickness**0.5mm

Performance



Reaction to fire

A1 / A2-s1,d0 (Color-all)



Environment

Fully Recyclable

06.2024 | All colour codes mentioned are based on the NCS - Natural Colour System® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.

Sounds Beautiful

