

DATASHEET







Nonius Hangers



Nonius Hangers

- A wide range of hangers to enable rigid suspension solutions
- Available in different materials to meet specific building conditions
- Appropriate for a variety of standard applications
- Custom made designs for Chicago Metallic™ substructure systems

Assortment

| Product group | | Component description | Load bearing capacity | Height (mm) | Pcs per pack | Kg per pack |
|---------------|---|---|---|---|--------------|-------------|
| NH 90 |  | Upper part nonius hanger | 40 kg | 85 | 100 | 2.4 |
| NH 140 | | | 40 kg | 135 | 100 | 3.3 |
| NH 240 | | | 40 kg | 235 | 100 | 5 |
| NH 340 | | | 40 kg | 340 | 100 | 7.1 |
| NH 440 | | | 40 kg | 440 | 100 | 8.4 |
| NH 540 | | | 40 kg | 540 | 100 | 10.6 |
| NH 640 | | | 40 kg | 640 | 100 | 12.6 |
| NH 740 | | | 40 kg | 740 | 100 | 13.6 |
| NH 840 | | | 40 kg | 840 | 50 | 8 |
| NH 940 | | | 40 kg | 940 | 50 | 9 |
| NH 1040 | | | 40 kg | 1040 | 25 | 4.9 |
| NH 1140 | | | 40 kg | 1140 | 25 | 5.4 |
| NH 1240 | | | 40 kg | 1240 | 25 | 5.9 |
| NH 1340 | | | 40 kg | 1340 | 25 | 6.4 |
| NH CLIP | | |  | Intersection clip for nonius (2 per hanger) | 40 kg | |
| NH T |  | Lower part nonius hanger for T profiles | 40 kg | | 100 | 3.9 |
| NH BR50 |  | Nonius hanger for bandraaster 50 mm | 40 kg | 133.3 | 100 | 3.4 |
| NH BR100 |  | Nonius hanger for bandraaster 100 mm | 40 kg | 107.9 | 100 | 4.1 |
| QH HH 200 |  | Assembled quick hanger with 2 hooks | 30 kg | | 100 | 4.2 |

Performance



Reaction to fire

A1



Environment

Fully Recyclable

Sounds Beautiful

